



7th International LS-DYNA Users Conference

Co-sponsored by

Livermore Software Technology Corporation (LSTC)

and

Engineering Technology Associates, Inc. (ETA)

May 19-21, 2002
Dearborn, Michigan

Mailing Address:

Livermore Software Technology Corporation
2876 Waverley Way
Livermore, California 94550-1740

Support Address:

Livermore Software Technology Corporation
7374 Las Positas Road
Livermore, California 94550

TEL: 925-449-2500
FAX: 925-449-2507
EMAIL: sales@lstc.com

Copyright © 2002 by Livermore Software Technology Corporation.
Permission to reproduce any papers contained herein is granted provided that credit is given to LSTC, the author and his/her company. Authors retain their respective copyrights.

Table of Contents

Welcome Remarks	Arthur Tang (ETA)
Introduction of Keynote Speakers	John O. Hallquist (LSTC)

Session 1 - Keynote Presentations

Vehicle Crash Analysis Using Shell Element Type 16	1-1
<i>Tsuyoshi Yasuki</i>	
<i>Project General Manager</i>	
<i>CAE Research, Development and Application</i>	
<i>Toyota Motor Corporation</i>	
Recent Developments in Finite Element and Mesh Free Methods	1-1
<i>Ted Belytschko</i>	
<i>Walter P. Murphy Professor and Chair</i>	
<i>Northwestern University</i>	

Session 2 – Common Session (1)

Chairman - R.J. Yang (Ford Motor Company)

The Future of CAE Software How to Achieve Process Automation	2-1
<i>Brian Huf, Ford Motor Company</i>	
Characterization of Water Impact Splashdown Event of Space Shuttle Solid Rocket Booster Using LS-DYNA	2-15
<i>Matthew E. Melis, NASA Glenn Research Center</i>	
Recent Developments in LS-DYNA for Civil Engineering	2-25
<i>Brian Walker, Arup</i>	

Session 3 - Crash/Safety (1)

Chairman - Majeed Bhatti (General Motors Corporation)

Multidisciplinary Design Optimization of Automotive Crashworthiness And NVH Using LS-OPT	3-1
<i>K.J. Craig, University of Pretoria</i>	
Modular Strategy to Build Full Vehicle Finite Element Model	3-19
<i>Subrato Dhar, General Motors Corporation</i>	
Development of a Finite Element Model of the Human Body	3-37
<i>Fuminori Oshita, The Japan Research Institute, Ltd.</i>	
eta/VPG: A Virtual Crash and Safety Environment for FMVSS and ECE Standards	3-49
<i>Akbar Farahani, Engineering Technology Associates, Inc.</i>	
Interpretation of Deformation Pattern in Automotive Rails in Frontal Impact	3-59
<i>Joseph Hassan, DaimlerChrysler Corporation</i>	
Improving Crash Analysis Through the Estimation of Residual Strains Brought Brought About by Forming Metal	3-77
<i>William Broene, Brown Corporation of America</i>	

Session 4 - Methods Development*Chairman - David Lu (Ford Motor Company)*

Modeling Suspension Damper Modules Using LS-DYNA	4-1
<i>Jason J. Tao, Delphi Automotive Systems</i>	
Multi-body Dynamic Simulation of Acti-Valve	4-9
<i>Cunjiang Cheng, Marquette University</i>	
Automotive Door Sealing System Analysis	4-15
<i>Rosa Zhao, General Motors Corporation</i>	
Analyzing Elastomer Automotive Body Seals Using LS-DYNA	4-21
<i>Linhua Shi, TG North America Corporation</i>	
Energy Absorbing Wheel Tethers for Racecars	4-31
<i>Brian A. Coon, University of Nebraska-Lincoln</i>	

Session 5 - Simulation Technology (1)*Chairman - C. Y. Sa (General Motors Corporation)*

USGA Rule 4-1e Optimization of a Golf Driver Head Using LS-DYNA and Altair HyperStudy	5-1
<i>Tom Mase, Michigan State University</i>	
Economically Improving Crash Worthiness of a Large Propane Tanker	5-9
<i>Phillip H. Burnside, PPG Industries</i>	
Optimum Design of a Steel Bar Breaking System in a Sled Test Facility Using LS-OPT	5-23
<i>In-Yong Jo, Kostech, Inc.</i>	
Application of LS-DYNA in Numerical Analysis of Vehicle Trajectories	5-33
<i>Jerry W. Wekezer, Florida State University</i>	
Finite Element Analysis of Sliding Contact Between a Circular Asperity and an Elastic Surface in Plane Strain Condition	5-41
<i>S. Subutay Akarca, University of Windsor</i>	

Session 6 - Penetration and Explosive Modeling*Chairman - Sungoh Hong (Hyundai Motor Company)*

3D Numerical Simulations of Penetration of Oil-Well Perforator Into Concrete Targets	6-1
<i>Qiankun Jin, Beijing Engineering Software Technology Co., Ltd.</i>	
Numerical Simulation of Light Armoured Vehicle Occupant Vulnerability to Anti-Vehicle Mine Blast	6-7
<i>Kevin Williams, DREV - Defence R&D Canada - Valcartier</i>	
Ballistic Impact Modeling of Composite Materials	6-15
<i>Chian-Fong Yen, Materials Sciences Corporation</i>	
Ship Structures Subject to High Explosive Detonation	6-27
<i>Mark Z. Vulitsky, John J. McMullen Assoc., Inc</i>	

Validation of a Loading Model for Simulating Blast Mine Effects on Armoured Vehicles	6-35
<i>Kevin Williams, DREV - Defence R&D Canada - Valcartier</i>	

Session 7 - Crash/Safety (2)

Chairman - Fred Zweng (DaimlerChrysler Corporation)

Honeycomb Modeling for Side Impact Moving Deformable Barrier (MDB)	7-1
<i>Moisey B. Shkolnikov</i>	
Shape Optimization of Crashworthy Structures	7-15
<i>Dave J. Eby, Applied Computational Design Associates, Inc.</i>	
Finite Element Simulations and Testing of Washington State Precast Concrete Barrier	7-23
<i>Akram Abu-Odeh, Texas A&M University</i>	
Punch Test Simulations of Offset Deformable Barrier Honeycomb Materials	7-25
<i>Robert R. Mayer, General Motors Corporation</i>	
An Application of LS-DYNA for the New FMVSS 208 Front Impact Tests	7-45
<i>Charlotte Jamte, Arup</i>	

Session 8 - Material Technology (1)

Chairman - Y.C. Deng (General Motors Corporation)

An LS-DYNA User Defined Material Model for Loosely Woven Fabric With Non-Orthogonal Varying Weft and Weave Angle	8-1
<i>Marlin Brueggert, IMMI</i>	
Computational Micro-Mechanical Model of Flexible Woven Fabric for Finite Element Impact Simulation	8-15
<i>Ala Tabiei, University of Cincinnati</i>	
Dynamic Pulsebuckling Analysis of FRP Composite Laminated Beams Using LS-DYNA	8-41
<i>Zheng Zhang, Dalhousie University</i>	
Incorporation of Material Model into LS-DYNA Implicit to Model the Shear Behavior of Uncured Woven-Fabric Composite Materials	8-49
<i>Jennifer L. Gorczyca, University of Massachusetts – Lowell</i>	
Material & Geometrically Nonlinear Woven Composite Micro-mechanical Model with Failure for Finite Element Simulations	8-57
<i>Ala Tabiei, University of Cincinnati</i>	

Session 9 - Simulation Technology (2)

Chairman - Kevin Thompson (DaimlerChrysler Corporation)

Correlation of the Federal Motor Vehicle Safety Standard 225 (FMVSS225) Requirement of an Automotive Seat System Using LS DYNA	9-1
<i>Frank Xu, Lear Corporation</i>	
Simulation and Validation of FMVSS 207/210 using LS-DYNA	9-9
<i>Vikas Patwardhan, Lear Corporation</i>	

Reduction in Time to Market of Automotive Seating System using LS-DYNA	9-17
<i>Hurshkumar G. Donde, Infosys Technologies Ltd.</i>	
Quasi-Static Finite Element Analysis (FEA) of an Automobile Seat Latch Using LS-DYNA	9-31
<i>Song Chen, Fisher Dynamics Engineering</i>	
Study on Optimal Design of Automotive Body Structure Crashworthiness	9-41
<i>Hailang Wang, Shanghai Jiao Tong University</i>	

Session 10 - Fluid/Structure

Chairman - Mohammad Usman (Visteon Corporation)

Simulation of Airbag Deployment Using a Coupled Fluid-Structure Approach	10-1
<i>Per-Olof Marklund, Linköping University</i>	
New LS-DYNA Fluids Solvers	10-9
<i>Grant O. Cook, LSTC</i>	
Developments in the Application of LS-DYNA to Fluid Structure Interaction (FSI) Problems in Recovery System Design and Analysis	10-17
<i>Anthony P. Taylor, Irvin Aerospace, Inc.</i>	
ALE and Fluid/Structure Interaction Capabilities in LS-DYNA	10-27

Session 11 - Crash/Safety (3)

Chairman – Karen Karnago (DaimlerChrysler Corporation)

Parametric Study on Improvement of G4(1S) Strong Post Guardrail System	11-1
<i>Jin Wu, University of Cincinnati</i>	
Crashworthiness: Numerical Simulation of Vehicle-Steel Pole Crash	11-29
<i>Madgy Samaan, Ryerson University</i>	
PAB Deployment Simulation for PAB with Curved Retainer	11-35
<i>Linhua Shi, TG North America Corporation</i>	
A Moose Crash Dummy for LS-DYNA	11-41
<i>Larsgunnar Nilsson, ERAB</i>	
Parametric Finite Element Model of a Sports Utility Vehicle: Development and Validation	11-43
<i>Gustavo A. Aramayo, Oak Ridge National Laboratory</i>	

Session 12 - Code Technology

Chairman – Charles Wawa (General Motors Corporation)

Modal Methods For Transient Dynamic Analysis in LS-DYNA	12-1
<i>Bradley N. Maker, LSTC</i>	
An Updated Toolbox for Validation and Uncertainty Quantification of Nonlinear Finite Element Models.....	12-13
<i>Keng C. Yap, ACTA Inc.</i>	
Processing of Equality Constraints for Implicit in LS-DYNA v. 970	12-23
<i>C. Cleve Ashcraft, LSTC</i>	

Development of a Coupled Finite Element and Meshfree Method in LS-DYNA 12-29
Cheng-Tang Wu, LSTC

**Development of the DYNA3D Simulation Code With Automated 3-D Fracture
Procedure for Brick Elements** 12-41
Ala Tabiei, University of Cincinnati

Session 13 - Simulation Technology (3)

Chairman - Jonghyun Yim (Daewoo Motor Company)

**Use of Stochastic Analysis for FMVSS210 Simulation Readiness for
Correlation to Hardware Testing** 13-1
Amit Sharma, General Motors Corporation

**Response Surface and Sensitivity-Based Optimization in LS-OPT:
A Benchmark Study** 13-9
Nielen Stander, LSTC

**Experimental and Numerical Compressive Testing of Aluminum Foam
Filled Mild Steel Tubular Hat Sections** 13-19
William Altenhof, University of Windsor

Developing FE-Tire Model Library for Durability and Crash Simulations 13-29
Masaki Shiraishi, Sumitomo Rubber Industries, LTD.

Stochastic Analysis and Optimization of Full Vehicle System for Offset Crush 13-37
Hassan El-Hor, DaimlerChrysler Corporation

Session 14 - Drop & Impact Simulation

Chairman – W.P. Wu (JCI)

**Optimum Design of a Cellular Phone Using LS-OPT Considering the
Phone Drop Test** 14-1
Jung Woo Kim, Kostech Inc.

Drop Analysis of the Skid Landing Gear of the Light Helicopter 14-11
Alexander V. Konyukhov, Kazan State University

Aircraft Engine Blade-Out Dynamics 14-17
Kelly S. Carney, NASA Glenn Research Center

Non-Penetrating Impact Simulation of Stitched Resin Film Infused Composites ... 14-27
A. M. Floyd, The University of British Columbia

**Evaluation of the Dropping of a Propeller Shaft During Installation on the
USS Cole a DDG 51 Class Destroyer** 14-39
LT. Phillip Burnside, United States Naval Reserve

Session 15 - Metal Forming Technology

Chairman - Li Zhang (DaimlerChrysler Corporation)

An Optimization Procedure for Springback Compensation Using LS-OPT..... 15-1
Nielen Stander, LSTC

**Enhanced Failure Prediction in Sheet Metal Forming Simulations
Through Coupling of LS-DYNA and Algorithm CRACH** 15-11
Gernot Oberhofer, MATFEM

Use of MPP-DYNA for Simulating Sheet Metal Forming Processes	15-23
<i>Christopher P. Galbraith, Metal Forming Analysis Corporation</i>	
Process Parameter Sensitivity Study on Tube Hydroforming	15-35
<i>X.M. Chen, United States Steel Corporation</i>	
Improvements to the Beverage Can Redraw Process Using LS-DYNA	15-45
<i>Robert E. Dick, ALCOA Technical Center</i>	

Session 16 - Material Technology (2)

Chairman – Russ Davidson (Lear Corporation)

Strain Rate Dependent Micro-Mechanical Composite Material Model for Finite Element Impact Simulation	16-1
<i>Ala Tabiei, University of Cincinnati</i>	
A Material Model for Transversely Anisotropic Crushable Foam in LS-DYNA	16-23
<i>Andreas Hirth, DaimlerChrysler Corporation</i>	
Continuous Surface Cap Model for Geomaterial Modeling: A New LS-DYNA Material Type	16-35
<i>Leonard E. Schwer, Schwer Engineering & Consulting Services</i>	
On the Application of LS-OPT to Identify Non-Linear Material Models in LS-DYNA	16-51
<i>David J. Benson, University of California, San Diego</i>	
Visco-plastic Material Model for Polymers With Strain Rate for Finite Element Simulation	16-63
<i>Ala Tabiei, University of Cincinnati</i>	
Evaluation of Thermoplastic SMA Material Models for Predicting Crashworthiness for Automotive Applications	16-65
<i>E. Christopher Myers, Nova Chemicals Inc.</i>	

Session 17 - Simulation Technology (4)

Chairman – Mitsuhiro Makino (Fujitsu Ltd.)

Applications of LS-DYNA to Structural Problems Related to Recovery Systems and Other Fabric Structures	17-1
<i>Benjamin A. Tutt, Irvin Aerospace Inc.</i>	
Finite Element Modeling of Cable Hook Bolts	17-11
<i>John D. Reid, University of Nebraska-Lincoln</i>	
A Virtual Golf Robot for Golf Equipment Simulation	17-23
<i>Tom Mase, Michigan State University</i>	
Applications of LS-DYNA in Electronics Products	17-33
<i>Hanks Hsu, Flotrend Corporation</i>	
Structural Optimization Using Space Mapping and Surrogate Models	17-51
<i>Marcus Redhe, Linköping University</i>	

Session 18 - Computing Technology*Chairman - Alex Akkerman (FORD Motor Company)*

Performance Evaluation on the ALE Formulation in MPP LS-DYNA	18-1
<i>Yih-Yih Lin, HP</i>	
Numerical Differences Observed Due to Different Binaries of LS-DYNA and Due to the Use of Various Compiler Options	18-5
<i>Guangye Li, IBM</i>	
Performance Analysis and Tuning of LS-DYNA for Intel Processor-Based Clusters	18-7
<i>George Chaltas, Intel Corporation</i>	
Web-Centric LS-DYNA: Development of a Technical Computing Portal	18-19
<i>Dan Fraser, Sun Microsystems, Inc.</i>	
High Performance Computing with Microsoft Windows: Meeting the Computational Requirements of Engineering Applications	18-29
<i>David A. Lifka, Cornell University</i>	

Session 19 - Common Session (2) “Computing Infrastructure”*Chairman - John Shen (DaimlerChrysler Corporation)*

COMPAQ
SGI
MICROSOFT
INTEL
SUN
IBM
HP
NEC

Session 20 – “LS-DYNA Development”*Chairman – Karl Schweizerhof, DynaMore**Dr. John O. Hallquist, LSTC*