

**Remark:** Use the hyperlinks to chose a paper by moving the hand tool cursor over the paper titles below.

## CHAPTER A PLENARY SESSIONS

### Session I

<b>Current and future developments of LS-DYNA – I</b> .....	<b>A - I - 01</b>
<i>Dr. Hallquist J. O. (Livermore Software Technology Corp.)</i>	
<b>Recent New Developments in Contact Mechanic</b> .....	<b>A - I - 51</b>
<i>Prof. Dr. Wriggers P., Fischer K. (University of Hanover); Rieger A. (Continental AG)</i>	
<b>CAE Simulations for Passive Safety focused on the Porsche Cayenne - the Transition to New Technologies</b> .....	<b>A - I - 73</b>
<i>Prof. Dr. Schelkle E., Klamser H. (Dr. Ing. h. c. F. Porsche AG)</i>	
<b>How to Develop a Five Star Car by using LS-DYNA</b> .....	<b>A - I – 83</b>
<i>Malcusson R. (Saab Automobile AB)</i>	

### Session II

<b>LS-DYNA Applications in Shipbuilding</b> .....	<b>A - II - 01</b>
<i>Le Sourne H., Besnier F., Couty N. (Principa Marine); Legarve H. (DCN Ingénierie)</i>	
<b>Implicit Functionality in LS-DYNA v970</b> .....	<b>A - II - 17</b>
<i>Dr. Maker B., Dr. Grimes R., Dr. Ashcraft C. (Livermore Software Technology Corp.)</i>	
<b>The Development of the new XJ Jaguar in Advanced Aluminium; Opportunities and Challenges</b> .....	<b>A - II - 19</b>
<i>Zeguer T. (Jaguar Cars Ltd.)</i>	
<b>Current and future developments of LS-DYNA – II</b> .....	<b>A - II – 49</b>
<i>Dr. Hallquist J. O. (Livermore Software Technology Corp.)</i>	

## CHAPTER B CRASH / AUTOMOTIVE APPLICATIONS

### Session I

<b>Consideration of Manufacturing Effects to Improve Crash Simulation Accuracy</b> .....	<b>B - I - 01</b>
<i>Böttcher C.-S., Dr. Frik S. (Adam Opel AG)</i>	
<b>Integration of Simulation in the Development Process</b> .....	<b>B - I - 09</b>
<i>Brockmann J. (Faurecia GmbH &amp; Co. KG) Safety Analysis of the New ACTROS Cabins</i>	

<b>Safety Analysis of the New Actros Megaspace Gabin According to ECE-R29/02</b> .....	<b>B - I - 11</b>
<i>Raich H. (DaimlerChrysler AG)</i>	
<b>The Evaluation of Crashworthiness of Vehicles with Forming Effects</b> .....	<b>B - I - 25</b>
<i>Kim H. (KIA Motors);</i>	
<i>Hong S. (Korea Advanced Institute of Science and Technology)</i>	

## Session II

<b>Validation Simulation of New Train Railway Rolling Stock Using the Finite Element Analysis</b> .....	<b>B - II - 01</b>
<i>Ricketts B., Martin Wilson (Bombardier Transportation UK Ltd.)</i>	
<b>Strength Analysis of Seat Belt Ancorage According to ECE R14 and FMVSS 210</b> .....	<b>B - II - 15</b>
<i>Hessenberger K. (DaimlerChrysler AG)</i>	
<b>Improving the Roadside Safety with Computational Simulations</b> .....	<b>B - II - 21</b>
<i>Vesenjak M., Prof. Dr. Ren Z. (University of Maribor)</i>	

## Session III

<b>Simulation of a Vehicle Running on to a Curb by Using Tire and Vehicle FE Models</b> .....	<b>B - III - 01</b>
<i>Fukushima; Oshita F. (Japan Research Institute)</i>	
<b>Reasons for Scatter in Crash Simulation Results</b> .....	<b>B - III - 11</b>
<i>Thole C.-A., Liguang M. (FhG-SCAI - Fraunhofer Institute for Algorithms and Scientific Computing)</i>	
<b>LS-DYNA on MPP Platforms, Experiences and Practical Recommendations</b> .....	<b>B - III - 21</b>
<i>Jankowski U. (Tecosim GmbH)</i>	
<b>LS-DYNA on Linux-Cluster at EDAG - Use Case</b> .....	<b>B - III - 27</b>
<i>Hanlon J. (EDAG Engineering + Design AG);</i>	
<i>Platz B. (Teraport GmbH)</i>	
<b>Impact Performance of Flexible Guardrail Systems using LS-DYNA</b> .....	<b>B - III - 35</b>
<i>Prof. Dr. Sennah K., Samaan M., Elmarakbi A. (University of Toronto)</i>	

## CHAPTER C

### OCCUPANT / PEDESTRIAN SAFETY / AIRBAG

#### Session I – Occupant

<b>Recent Advances in THUMS: Development of Individual Internal Organs, Brain, Small Female, and Pedestrian Model</b> .....	<b>C - I - 01</b>
<i>Oshita F. (Japan Research Institute, Ltd.); Iwamoto M., Omori K., Kimpura H., Watanabe I., Miki K. (Toyota Central LAB); Hasegawa J. (Toyota Motor Corp.)</i>	

**FTSS Dummy Model Updates :****SID-IIs Small Side Impact Dummy Model and others ..... C - I - 11***Dr. Huang Y.; Fuchun Zhu (FTSS - First Technology Safety Systems)***Development of the 50th Percentile Hybrid III Dummy Model ..... C - I - 13***Prof. Dr. Kan C.-D., Dr. Marzougui D.,**Prof. Bedewi N. (University of Washington, NHTSA)***Fat Side Impact Dummy Models Remarks on Usage,****Aspects on Usage and Potentials Pitfalls ..... C - I - 23***Franz, U., Schuster P., Schmid W.; Oliver Graf (DYNAmore GmbH)***Session II - Occupant / Pedestrian Safety****Development and Validation of Numerical Pedestrian****Impactor Models ..... C - II - 01***Frank T. (DaimlerChrysler AG); Kurz A. (LASSO GmbH);**Prof. Dr. Pitzer M. (PENG GmbH); Söllner M. (Dr. Ing. h. c. F. Porsche AG)***Crash Simulation in Pedestrian Protection ..... C - II - 19***Dörr S., Chladek H. (IHF GmbH)***Finite Element Models for European Testing : Side Impact****Barrier to WG13 and Pedestrian Impactors WG17 ..... C - II - 29***Dutton T. (ARUP)***Simulation of proposed FMVSS 202 using****LS-DYNA Implicit ..... C - II - 49***Patwardhan V., Sambamoorthy B., Halder T. (Lear Corp.)***Biomechanical Analysis of Whiplash Injuries; Women****are not Scaled Down Men ..... C - II - 57***Mordaka J., Gentle C. R. (University of Nottingham)***Session III - Occupant / Airbag****Numerical and Experimental Study on Fracture of Chute****Structure at Deployment of Invisible Passenger Side Airbag ..... C - III - 01***Kangwook L. (Hyundai Mobiles)***Application of MADYMO Occupant Models in****LS-DYNA / MADYMO Coupling ..... C - III - 03***Dr. Happee R., Janssen A. J., Fraterman E., Monster J. W.**(TNO Automotive)***On Airbag Simulation in LS-DYNA with the Use of the****Arbitrary Lagrangian - Eulerian Method ..... C - III - 11***Dr. Fokin D., Dr. Fredriksson L., Lokhande N.**(Altair Engineering GmbH)***\*MAT\_GAS\_MIXTURE, A New Gas Mixture Model****for Airbag Applications ..... C - III - 23***Dr. Olovsson L. (Livermore Software Technology Corp.)***Prediction of Occupant Injury in an Out-Of-Position Impact****Using the Fluid Structure Interaction Capabilities in LS-DYNA ..... C - III - 33***Dr. Marklund P.-O. (Engineering Research Nordic AB);**Dr. Pipkorn B. (Autoliv Research AB)*

## CHAPTER D MATERIAL

### Session I

<b>The Application of the Damage and Fracture Material Model to Crashworthiness Evaluations for Aluminium Cars .....</b>	<b>D - I - 01</b>
<i>Tsuchida T., Yamamoto S. (Toyota Motor Corp.); Isomura K. (Toyota Industries Corp.)</i>	
<b>Cal Micro-Mechanical Model of Composite &amp; Flexible Woven Fabric with Fiber Reorientation .....</b>	<b>D - I - 15</b>
<i>Prof. Dr. Tabiei A., Ivanov I. (University of Cincinnati)</i>	
<b>A Simplified Approach for the Simulation of Rubber-Like Materials under Dynamic Loading .....</b>	<b>D - I - 31</b>
<i>Du Bois P. (Consultant)</i>	
<b>Implementation and Validation of the Johnson-Holmquist Ceramic Material Model in LS-Dyna .....</b>	<b>D - I - 47</b>
<i>Dr. Cronin D. S., Dr. McIntosh G., Kaufmann C., Bui K., Berstad T. (University of Waterloo)</i>	

### Session II

<b>Application of material forces in finite element simulations.....</b>	<b>D - II - 01</b>
<i>Dr. Kolling S., Ackermann D. (DaimlerChrysler AG)</i>	
<b>On Constitutive Equations for Elastomers and Elastomeric Foams .....</b>	<b>D - II - 15</b>
<i>Feng W. W., Dr. Hallquist J. O. (Livermore Software Technology Corp.)</i>	
<b>Improved Plasticity and Failure Models for Extruded Mg-Profiles in Crash Simulations .....</b>	<b>D - II - 29</b>
<i>Oberhofer G. (MATFEM); Dr. Lanzerath H., Wesemann J. (Ford Research Center); Hombergsmeier E. (EADS Corp. Research Center)</i>	
<b>Implementation of a Material Model for TRIP Steels in LS-DYNA and Comparison with Test Results .....</b>	<b>D - II - 41</b>
<i>Dr. Hilding D. (Engineering Research Nordic AB); Dr. Scheduling E. (Avesta Polaroid AB)</i>	
<b>A new constitutive model for nitrogen austenitic stainless steel .....</b>	<b>D - II - 53</b>
<i>Adoum M. (CRIL Technology); Frécharde S., Rondot F., Lichtenberger A. (French-German Research Inst., Saint-Louis)</i>	
<b>Modeling of Foams using MAT 83 - Preparation and Evaluation of Experimental Data .....</b>	<b>D - II - 59</b>
<i>Serifi E. (University of Stuttgart); Hirth A., Matthaei S. (DaimlerChrysler AG); Dr. Müllerschön H. (DYNAmore GmbH)</i>	

## CHAPTER E METAL FORMING

### Session I

- Stress Analysis of Connector Pin Produced by Reverse Stamping Process with LS-DYNA Numerical Simulation and Comparison to Experiments** ..... E - I - 01  
*Won Y.-H. (LG-Cable Ltd.)*
- Finite Element Analysis of Stresses Due to Normal and Sliding Contact Conditions on an Elastic Surface** ..... E - I - 21  
*Ram A., Prof. Dr. Danckert J., Faurholdt T. G. (University of Aalborg)*
- Sheet Metal Forming : Spring-back of hydro mechanical deep drawn parts** ..... E - I - 35  
*Buchert J., Prof. Dr. Harrison D. K., Dr. DeSilva A. K. M., Prof. Dr. Bauer H. (Aalen University of Applied Science)*
- Simulation of the Forming Process of Metal-Plastic-Metal Sheets** ..... E - I - 43  
*Dr. Borg R. (Engineering Research Nordic AB)*
- Newly Developed Capabilities of DYNAFORM Version 5.0** ..... E - I - 45  
*Tang A. (eta - Engineering Technology Associates, Inc.)*

### Session II

- Finite Element Analysis of Superplastic Forming process using LS-DYNA** ..... E - II - 01  
*Samekto H. (University of Stuttgart); Prof. Dr. Roll K. (DaimlerChrysler AG)*
- Forming to Crash Simulation in Full Vehicle Models** ..... E - II - 17  
*Dr. Cafolla J., Hall R. W., Norman D. P., McGregor I. J. (Corus Automotive Engineering)*
- Influence of The Effect of Strain Rates on Springback in Aluminium 2024 (ISO AlCu4Mg1)** ..... E - II - 27  
*Kulkarni P., Prabhakar S. (Cessna Aircraft Company)*
- Process optimised FEA-Calculations for Hydroforming Components** ..... E - II - 35  
*Keigler M., Prof. Dr. Hall R., Prof. Dr. Mihsein M., Prof. Dr. Bauer H. (Aalen University of Applied Science)*

### Session III

- More Realistic Virtual Prototypes by Means of Process Chain Optimization** ..... E - III - 01  
*Gantner P., Prof. Dr. Harrison D. K., Dr. DeSilva A. K. M., Prof. Dr. Bauer H. (Aalen University of Applied Science)*
- Virtual Die Tryout of Miniature Stamping Parts** ..... E - III - 15  
*Yang M.-C., Tsai T.-C. (Metal Industries R&D Center)*
- Sheet Metal Forming in a Virtual Reality Environment using LS-DYNA and Neural Networks** ..... E - III - 23  
*Gokhale A. (University of Wichita)*

<b>Manufacturing Simulation of an Automotive Hood Assembly .....</b>	<b>E - III - 37</b>
<i>Dr. Galbraith C. (Metal Forming Analysis Corp. / Medusa Comp. Corp.); Thomas D. (Metal Forming Analysis Corp.)</i>	
<b>A Method for Modifying the Forming Tool Geometry in Order to Compensate for Springback Effects .....</b>	<b>E - III - 45</b>
<i>Jernberg A. (Engineering Research Nordic AB)</i>	

## CHAPTER F LS-DYNA ENVIRONMENT

### Session I

<b>CAE Data Management and Quality Assessment of LS-DYNA Crash Models using V-CESS .....</b>	<b>F - I - 01</b>
<i>Eick M., Dr. Seybold J., Dr. Fredriksson L. (Altair Engineering GmbH)</i>	
<b>Automating LS-DYNA Simulation Processes using SOFY's Rapid Application Development Environment RADE .....</b>	<b>F - I - 13</b>
<i>Dr. Ulrich D. (SOFY GmbH)</i>	
<b>scFEMod - The New Preprocessor for Efficient Assembly and Model Validation .....</b>	<b>F - I - 21</b>
<i>Dr. Sommer O. (science + computing ag)</i>	
<b>Improved Infrastructure Accessibility and Control with LSF for LS-DYNA .....</b>	<b>F - I - 33</b>
<i>Slominsky M., Reichert C. (Platform Computing GmbH)</i>	

### Session II

<b>CAE Process Support by MIDAS and MEDINA .....</b>	<b>F - II - 01</b>
<i>Sattler M.; Westhäußer M. (T-Systems GmbH)</i>	
<b>A New Simulation Method for Airbags with multiple Compartments (Adaptive Euler Domains).....</b>	<b>F - II - 15</b>
<i>Reza S. (MSC.Software GmbH)</i>	
<b>Virtual Reality in Crash-Simulation .....</b>	<b>F - II - 35</b>
<i>Birk F. (3Dims GmbH)</i>	
<b>Improving Productivity by Immersion and Interaction - A New Approach in CAE .....</b>	<b>F - II - 39</b>
<i>Dr. Rößler A. (Icido GmbH)</i>	

## CHAPTER G DROP TEST / IMPACT

### Session I

<b>Numerical Modelling of Impacts on Ski Safety Nets</b> .....	<b>G - I - 01</b>
<i>Adoum M., Lapoujade V. (CRIL Technology)</i>	
<b>Improved Numerical Investigations of a Projectile Impact on a Textile Structure</b> .....	<b>G - I - 07</b>
<i>Prof. Dr. Schweizerhof K. (DYNAmore GmbH); Blankenhorn G. (University of Karlsruhe); Finckh H. (University of Stuttgart)</i>	
<b>Optimization of a Cockpit Structure according to ECE-R 21 Regulation</b> .....	<b>G - I - 15</b>
<i>Walter M., Chladek H. (IHF GmbH)</i>	
<b>Examples' Manual for *User Loading Option</b> .....	<b>G - I - 29</b>
<i>Adoum M., Lapoujade V. (CRIL Technology)</i>	

### Session II

<b>Structural Design Review of LCD-TV Module by Impact Analysis</b> .....	<b>G - II - 01</b>
<i>Choi S., Lee J.-G. (Samsung Electronics Corp.)</i>	
<b>The Relation Between Initial Yaw and Long Rod Projectile Shape After Penetration an Oblique Thin Plate</b> .....	<b>G - II - 11</b>
<i>Dr. Arad M., Dr. Touati D., Latovitz I. (Israel Military Industries)</i>	
<b>Numerical Simulation of a Flight Recorder's; Protective Case Penetration Resistance Test</b> .....	<b>G - II - 23</b>
<i>Dr. Ryabov A., Dr. Romanov V., Kukanov S., Roschihmarov D. (Sarov Open Computing Center)</i>	
<b>LS-DYNA Application to Calculate Loads Causing Critical Damages of Container for FM Transportation</b> .....	<b>G - II - 33</b>
<i>Roubtsov B., Abramov A., Voikina O., Komarov A., Serbin V. (Strela)</i>	

## CHAPTER H IMPLICIT / NEW DEVELOPMENTS

### Session I

<b>Heat Transfer in LS-DYNA</b> .....	<b>H - I - 01</b>
<i>Dr. Shapiro A. (Livermore Software Technology Corp.)</i>	
<b>Under the hood of Implicit LS-DYNA</b> .....	<b>H - I - 09</b>
<i>Dr. Grimes R. (Livermore Software Technology Corp.)</i>	
<b>Simulation of Full-Scale Seismic-Resistant Structural Frame Tests Using LS-DYNA 960 Implicit Solver</b> .....	<b>H - I - 17</b>
<i>Walker B. (ARUP); Field C. J. (ARUP &amp; Partners California Ltd.)</i>	
<b>LS-DYNA Beam Elements: Default and User Defined Cross Section Integration</b> .....	<b>H - I - 31</b>
<i>Dr. Schwer L. (Schwer Engineering &amp; Consulting Services)</i>	

<b>Stabilized DSG Elements - A New Paradigm in Finite Element Technology .....</b>	<b>H - I - 49</b>
<i>Dr. Bischoff M., Koschnick F., Prof. Dr. Bletzinger K.-U. (University of Munich)</i>	

## AEROSPACE / FLUID-STRUCTURE INTERACTION

### Session I

<b>Jet Engine Fan Blade Containment using Two Alternate Geometries .....</b>	<b>I - I - 01</b>
<i>Dr. Carney K., Dr. Pereira M., Revilok D. (NASA Glenn Research Center); Matheny P. (Florida Turbine Technology)</i>	
<b>The Use of LS-DYNA Fluid-Structure Interaction to Simulate Fluid-Driven Deformation in the Aortic Valve .....</b>	<b>I - I - 11</b>
<i>Prof. Dr. Howard I. C., Prof. Dr. Patterson E. A. (University of Sheffield); Prof. Dr. Carmody C. J. (Bennett &amp; Associates Ltd.); Dr. Burriesci G. (Sorin Biomedica Cardio)</i>	
<b>Modern Field Code Cluster of Fluid Dynamics and Structure Mechanics with Meta-Computing Grids for Safety and Environment Research Studies .....</b>	<b>I - I - 21</b>
<i>W. Rehm, B.Wang, FZJ-IWV,(Forschungszentrum Jülich) B. Binnering, RWTH-ITM, (University Aachen, Germany) C. Nae, INCAS, (University Bucharest, Romania)</i>	
<b>Fluid-Structure Interaction in LS-DYNA: Industrial Applications .....</b>	<b>I - I - 35</b>
<i>Prof. Dr. Souli M. (Livermore Software Technology Corp.)</i>	

## CHAPTER J OPTIMIZATION

### Session I

<b>Shape Adaptive Airfoils for Turbomachinery Applications: Simulation and Optimization .....</b>	<b>J - I - 01</b>
<i>Müller T., Prof. Dr. Lawrenz M. (University of Kassel)</i>	
<b>Crashworthiness Optimization in LS-OPT : Case Studies in Metamodeling and Random Search Techniques .....</b>	<b>J - I - 11</b>
<i>Dr. Stander N., Dr. Roux W. J. (Livermore Software Technology Corp.); Giger M., Dr. Redhe M. (University of Linköping)</i>	
<b>Analyzing “Noisy” Structural Problems with LS-OPT : Probabilistic and Deterministic Fundamentals .....</b>	<b>J - I - 27</b>
<i>Dr. Stander N., Dr. Roux W. J. (Livermore Software Technology Corp.)</i>	
<b>Method for Automated Geometry Optimization using Stochastic Methods .....</b>	<b>J - I - 41</b>
<i>Höfer C., Sakaryali C. (EASi Engineering GmbH)</i>	

## CHAPTER K

## MPP / LINUX CLUSTER / HARDWARE

## Session I

<b>Considerations for LS-DYNA Efficiency in the SGI IRIX and Linux Environments with a NUMA System Architecture</b> .....	K - I - 01
<i>Posey S., Meng N. (Silicon Graphics)</i>	
<b>Performance of LS-DYNA on hpcLine Linux Clusters</b> .....	K - I - 09
<i>Altmeyer K. (Fujitsu Siemens Computers GmbH)</i>	
<b>A Correlation Study Between MPP LS-DYNA Performance and Various Interconnection Networks – a Quantitative Approach for Determining the Communication and Computation Costs</b> .....	K - I - 11
<i>Lin Y.-Y. (Hewlett-Packard Ltd.)</i>	
<b>Itanium® – A viable next-generation technology for crash simulation ?</b> .....	K - I - 21
<i>Hillcoat A. (Hewlett-Packard Ltd.)</i>	
<b>Recent Developments of LS-DYNA - Performance Optimization</b> .....	K - I - 33
<i>Roh Y.-S., Fong H. (SUN Microsystems Inc.)</i>	
<b>Porting LS-DYNA to AMD Opteron</b> .....	K - I - 43
<i>D. Rintala; D. Jessel (AMD - Advanced Micro Devices)</i>	

## Session II

<b>Performance of LS-DYNA on NEC-Clusters and New Highend SMP-Systems</b> .....	K - II - 01
<i>Dr. Findling A. (NEC High Performance Computing Europe GmbH)</i>	
<b>How to Make LS-DYNA Run Faster</b> .....	K - II - 03
<i>Li G., Dr. Zais J. (IBM CAE Applications Team)</i>	
<b>Comparative Performance of InfiniBand Architecture and Gigabit Ethernet Interconnects on Intel® Itanium® 2 Microarchitecture-based</b> .....	K - II - 13
<i>Chaltas G., Prince T., Magro W., Jonsson L. (Intel Corp.)</i>	
<b>The New Paradigm Shift for High-Performance Computing</b> .....	K - II - 23
<i>Cornelius H. (Intel GmbH)</i>	
<b>Linux Cluster - Computer Power Out of the Box</b> .....	K - II - 39
<i>Schlagenhauf H. (science + computing ag)</i>	